



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/660,961

09/12/2003

Alan Georgeff

57183

6353

7590

09/13/2005

Dennis H. Lambert & Associates
7000 View Park Drive
Burke, VA 22015

EXAMINER

HORTON, YVONNE MICHELE

ART UNIT

PAPER NUMBER

3635

DATE MAILED: 09/13/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/660,961

Applicant(s)

GEORGEFF ET AL.

Examiner

Yvonne M. Horton

Art Unit

3635

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 June 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 3-10 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 3,9 and 10 is/are allowed.
- 6) ☒ Claim(s) 1 and 4 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____.

DETAILED ACTION

Claim Objections

Claims 1 and 4-8 are objected to because of the following informalities: the claims are directed to the subcombination of a "guard" apparatus only. However, the claims attempt to include recitations involving the combination of the "pool and skimmer" and the "guard". In order to have the combination considered, the "pool and the skimmer" must be positively cited and cited in combination with the "guard". Until further clarification, the claims have been analyzed as merely a "guard" apparatus. Appropriate clarification and/or correction is required.

Claim Rejections - 35 USC § 103

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1 and 4 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent #5,623,787 to ALI. ALI discloses the use of a guard (10) including an elongate body (24) formed of an open mesh material, column 2, line 28, having a top, bottom and opposite edges and an attaching means (28) for attaching the elongate body (24) across an opening (between sections 12 and 14). The guard (10) of ALI is flexible, column 2, line 26, such that it is shortened to a more arcuate form, column 2, lines 33-34 when put into position and lengthened when not in position, see figures 3 and 4; wherein the guard (10) is self-supporting, column 2, lines 39-49. ALI discloses

Art Unit: 3635

the basic claimed guard except for explicitly being intended for use in a swimming pool adjacent the skimmer and except for explicitly being adjusted to fit different sized openings. Regarding the issue of the guard being used for a pool, a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. The manner in which a device is intended to be employed does not differentiate the claimed apparatus from a prior art device satisfying the claimed structural limitations. Also, the claim entails functional recitations such as "fitting across a skimmer opening". The applicant is reminded that in order to be given patentable weight, a functional recitation must be supported by recitation in the claim of sufficient structure to warrant the presence of functional. Any functional recitations in the claim have not been given patentable weight because in order to be given patentable weight, a function must be expressed as a "means" for performing the specified function, and must be supported by recitation in the claim of sufficient structure to warrant the presence of the functional language. In reference to the guard (10) being adjustable, as mentioned earlier, the guard (10) at first is flat and takes on a much lengthier dimension and when in position takes on a much shortened, arcuate length. Also, the guard (10) of ALI, is obviously capable of being attached to openings similar to the space between (12 and 14) or smaller. Regarding claim 4, the guard (10) is made in one piece from a plastic material, column 1, line 49.

Allowable Subject Matter

Claims 5-8 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claims 3,9 and 10 are allowed.

Response to Arguments


Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yvonne M. Horton whose telephone number is (571) 272-6845. The examiner can normally be reached on 6:30 am - 3:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl D. Friedman can be reached on (571) 272-6842. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Yvonne M. Horton
Art Unit 3635
9/6/05